

Tactical UAV's in the French Army

LtCol Pierre-Yves HENRY, Technical Service of the French Army, Program Officer for Battlefield Surveillance

maintaining the data needed, and of including suggestions for reducing	election of information is estimated to completing and reviewing the collect this burden, to Washington Headquuld be aware that notwithstanding arome control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate or mation Operations and Reports	or any other aspect of the property of the contract of the con	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 02 SEP 2003		2. REPORT TYPE N/A		3. DATES COVERED	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Tactical UAVs in the French Army				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) French Army Technical Service, France				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release, distributi	on unlimited			
13. SUPPLEMENTARY NO See also ADM0016	OTES 76, UAV 2002 Conf	erence & Exhibition	a., The original do	ocument cont	tains color images.
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	UU	30	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188



French Army Tactical UAV's

- In service systems
- Operational experience and deducted ConOps

•Future systems:

Short term: SDTi

Medium term: MCMM



UAV SYSTEMS IN SERVICE WITH THE FRENCH ARMY



FAST DRONE

•Speed: 720 km/h

•Mission radius: 200 km

•Endurance: 1/2 h

•Sensors:

•Wet Film

•IRLS



SLOW DRONE

•Wing span: 3.3 m

•Speed: 180 km/h

•Mission radius: 60 km

•Endurance: 3 h

•Sensors:

• Visible Line Scanner

• IR Line Scanner

OPERATIONS RECORD:

<u>CL289</u>:

•BOSNIA: 96

•MACEDONIA: April 99 to June 99

•KOSOVO: engaged until March

2002

CRECERELLE:

• BOSNIA: November 98 to March 99

• MACEDONIA then KOSOVO: April 99 to July 99

CRECERELLE -LESSONS LEARNED

- 67 operational flights
 - 3 losses (4.5 %)





CRECERELLE MAIN FEATURES

- Missions
 - Reconnaissance
 - Electronic Warfare (Comms Jamming)
- Strategic / tactical qualities
 - Mobility: airtransportable vehicles
 - No runway needed
 - S-band data link
- Performances
 - «Flying robot»
 - Interoperable GCS (hand-over)
 - In flight programmable jammer
- Aircraft characteristics:

Wing span: 3.30 m

– MTOW: 160 kg

Payload: 35 kg

- Ceiling: 15,000' (4500 m)

Endurance: 3 hours





CRECERELLE / LESSONS LEARNED

ASSESSMENT PRIOR TO COMMITMENT



- TERRAIN AND MAIN FEATURES (Line of sight- medium altitude)
- LOCAL WEATHER CONDITIONS (winds & icing conditions)
- ENEMY FORCES: COA & TARGETS
- LOCAL GROUND THREAT + CI LIAISONS

MAINTENANCE SUPPORT

- •MAPS, production capacity
- •SPARE PARTS, planned rate of missions
- •SPARE GROUND CONTROL STATION
- •HOT-LINE WITH THE MANUFACTURER



CRECERELLE / LESSONS LEARNED

PEACE TIME TRAINING

• SIMULATORS

+

REAL FLIGHTS, as difficult as possible

- CHECK-LIST
- + INTEL TRG (imagery & procedures)

CRECERELLE:

- OPTIMUM: 2 flights/month/crew
- MAINTENANCE :performing day to day maintenance tasks is enough








Both IR & visible are necessary

To get accurate info, real time becomes quickly delayed time





You have to be able to transfer your image to other authorities



CL289 DEPLOYMENT TO KFOR – EVALUATION

- Regarded period : April 01 to Sept 01
- 68 operational flights, 2 losses : < 3%
- Primary Tactical Recce asset for KFOR
- Outstandingly successful in
 - DAYTIME Tactical Recce
 - Mission planning roles
 - Geo tasks



CL289 MISSION PRODUCT EXAMPLES





7RA.FR.CL289.BR.99MI09.181300Z.MAY99.8cmX3.410mAGL.TRIDENT.EN 133244 .NC. PRISTINA





REFUGIES





7RA.FR.CL289.BR.99MI05.101020Z.MAY99.8cmX5.520mAGL.TRIDENT.EN 024 184.NC. IMPACTS DE BOMBES





7RA.FR.CL289.BR.99JN02.020905Z.JUNE99.8cmX6.450mAGL.TRIDENT.EM631 934 .NC. 4 X PIECES D'ARTILLERIE ANTI-CHAR .





7RA.FR.CL 289.BR.99MI08.161000Z.MAY99.8cmX8.450mAGL.TRIDENT.EN 211 086.NC SA 6






7RA.FR.CL 289.BR.99MI02.031500Z.MAY99.8cmX3.350mAGL.TRIDENT.EM 107 917.NC CASERNE D'UROSEVAC





7RA.FR.CL 289.BR.99MI08.161000Z.MAY99.8cmX8.460mAGL.TRIDENT.EN 064 304.NC PONT DETRUIT






7RA.FR.CL289.BR.99JN02.020905Z.JUNE99.8cmX8.400mAGL.TRIDENT.DN 949 412 .NC. MANIFESTATION POSSIBLE .




TUAV CONCEPT of EMPLOYMENT



UAVS OPERATIONS CONCEPT







SHORT TERM: SDTI



Système de Drone Tactique Intérimaire (SDTI)



- Two «IMAGERY» platoons, each including
 - •2 Stations
 - •9 Air Vehicles
 - •1 Launcher
 - •1 Platoon Maintenance Facilities
- 2nd Echelon Maintenance level
- Maintenance contract with the manufacturer with operational availability objectives



Air Vehicle

- Max T-O Weight: 330 kg including payload 70 kg.
- Endurance : >5 h ; Speed 140 to 250 km/h.
- Data link range: 80 km.
- Flight level 300m AGL up to 3500 m ASL.

Payload

- Gyrostabilized: 1 daylight camera; 1 caméra thermal camera.
- Real time transmission, no on-board recorder





Ground station

- **3** Workstations: Mission commander, Navigator, Payload operator
- Target localisation accuracy 20m at 300m AGL



SPERWER SYSTEM ORGANISATION: FRANCE

FRENCH ARMY PROJECTION PLATOON



61st Artillery Regiment


Platoon HQ







Ground
Control Station
/ Remote Data
terminal









Transport & Recovery System



Launching System






Platoon Maintenance Facilities

(1st & 2nd echelons)






SDTI C4I integration





MEDIUM TERM: MCMM





UAV SYSTEMS PROCUREMENT: FRENCH ARMY PRIORITIES

P1: MCMM Tactical UAV System
(Multi-Payload, Multi-Missions)
2 flight profiles: slow & fast
Interoperability with HORIZON and SIGINT

P2: Interoperability with MALE Drone (Medium Altitude, Long Endurance)

P3: Close Range UAV System (Minidrone)

MISSIONS

IMINT: Intelligence, Targeting

SIGINT/COMMS: ESM, Comms relay

OTHER: Weather forecasting, NBC, Geography, etc.

French army general planning for TUAV programmes

